Journal of Ecology 2005
93, 1263–1268

Index

Aerts, R. *see* **Dorrepaal, E.**
Aguiar, M.R. *see* **Rotundo, J.L.**
Allen, R.B. *see* **Coomes, D.A.**
Alvarado, B.V. *see* **Capers, R.S.**
Antos, J.A., Guest, H.J. & Parish, R. The tree seedling bank in an ancient montane forest: stress tolerators in a productive habitat, 536
Archer, S.R. *see* **Fensham, R.J.**
Armas, C. & Pugnaire, F.I. Plant interactions govern population dynamics in a semi-arid plant community, 978

Bach, C.E., Kelly, D. & Hazlett, B.A. Forest edges benefit adults, but not seedlings, of the mistletoe *Alepis flavida* (Loranthaceae), 79
Baraloto, C., Forget, P.-M. & Goldberg, D.E. Seed mass, seedling size and neotropical tree seedling establishment, 1156
Baudois, O. *see* **Turnbull, L.A.**
Bazzaz, F.A. *see* **Ramseier, D.**
Beckage, B., Lavine, M. & Clark, J.S. Survival of tree seedlings across space and time: estimates from long-term count data, 1177
Bentley, W.A. *see* **Coomes, D.A.**
Bergius, E. *see* **Stoll, P.**
Bertness, M.D. *see* **Pennings, S.C.**
Bohrer, G., Nathan, R. & Volis, S. Effects of long-distance dispersal for metapopulation survival and genetic structure at ecological time and spatial scales, 1029
Bond, W.J. *see* **Schurr, F.M.**
Bongers, F. *see* **Poorter, L.**
Bongers, F. *see* **Schnitzer, S.A.**
Boot, R.G.A. *see* **Poorter, L.**
Borum, J., Pedersen, O., Greve, T.M., Frankovich, T.A., Zieman, J.C., Fourqurean, J.W. & Madden, C.J. The potential role of plant oxygen and sulphide dynamics in die-off events of the tropical seagrass, *Thalassia testudinum*, 148
Bossuyt, B., De Fré, B. & Hoffmann, M. Abundance and flowering success patterns in a short-term grazed grassland: early evidence of facilitation, 1104
Brachet, S. *see* **Ronce, O.**
Brenes, A.R. *see* **Capers, R.S.**
Brokaw, N. *see* **Uriarte, M.**
Bruelheide, H. *see* **Kluth, C.**
Brundu, G. *see* **Lloret, F.**
Bruun, H.H. *Rosa rugosa* Thunb. ex Murray, 441
Brzosko, E. *see* **Nicolè, F.**
Bunker, D.E. & Carson, W.P. Drought stress and tropical forest woody seedlings: effect on community structure and composition, 794
Burrows, L.E. *see* **Coomes, D.A.**
Buschmann, H., Edwards, P.J. & Dietz, H. Variation in growth pattern and response to slug damage among native and invasive provenances of four perennial Brassicaceae species, 322

Cahill, J.F. Jr, Kembel, S.W. & Gustafson, D.J. Differential genetic influences on competitive effect and response in *Arabidopsis thaliana*, 958
Caldwell, M.M. *see* **Leffler, A.J.**
Callaghan, T.V. *see* **Quested, H.M.**
Callaway, R.M. *see* **Hierro, J.L.**
Callaway, R.M. *see* **Perry, L.G.**
Callaway, R.M., Ridenour, W.M., Laboski, T., Weir, T. & Vivanco, J.M. Natural selection for resistance to the allelopathic effects of invasive plants, 576
Camarda, I. *see* **Lloret, F.**
Campbell, M. *see* **Clarke, P.J.**
Canham, C.D. *see* **Coomes, D.A.**
Canham, C.D. *see* **Uriarte, M.**
Cape, J.N. *see* **Mitchell, R.J.**
Capers, R.S., Chazdon, R.L., Brenes, A.R. & Alvarado, B.V. Successional dynamics of woody seedling communities in wet tropical secondary forests, 1071
Cappuccino, N. *see* **Carpenter, D.**
Carine, M. *see* **Silvertown, J.**
Carpenter, D. & Cappuccino, N. Herbivory, time since introduction and the invasiveness of exotic plants, 315
Carson, W.P. *see* **Bunker, D.E.**
Chazdon, R.L. *see* **Capers, R.S.**
Chiasson, R.L. *see* **Proffitt, C.E.**
Clark, J.S. *see* **Beckage, B.**
Clarke, P.J., Knox, K.J.E., Wills, K.E. & Campbell, M. Landscape patterns of woody plant response to crown fire: disturbance and productivity influence sprouting ability, 544
Clay, K. *see* **Reinhart, K.O.**
Clobert, J. *see* **Ronce, O.**
Connolly, J. *see* **Ramseier, D.**
Coomes, D.A., Allen, R.B., Bentley, W.A., Burrows, L.E., Canham, C.D., Fagan, L., Forsyth, D.M., Gaxiola-Alcantar, A., Parfitt, R.L., Ruscoe, W.A., Wardle, D.A., Wilson, D.J. & Wright, E.F. The hare, the tortoise and the crocodile: the ecology of angiosperm dominance, conifer persistence and fern filtering, 918
Cornelissen, J.H.C. *see* **Dorrepaal, E.**
Cornelissen, J.H.C. *see* **Quested, H.M.**
Costa, F.R.C., Magnusson, W.E. & Luizao, R.C. Mesoscale distribution patterns of Amazonian understorey herbs in relation to topography, soil and watersheds, 863
Cosyns, E., Delporte, A., Lens, L. & Hoffmann, M. Germination success of temperate grassland species after passage through ungulate and rabbit guts, 353
Couwenberg, J. & Joosten, H. Self-organization in raised bog patterning: the origin of microtope zonation and mesotope diversity, 1238
Craine, J.M. Reconciling plant strategy theories of Grime and Tilman, 1041
Crawley, M.J. *see* **Del-Val, E.**

© 2005 British Ecological Society

Dainty, J. *see* **Schutten, J.**
Davies, S.J. *see* **Russo, S.E.**
Davy, A.J. *see* **Handley, R.J.**
Davy, A.J. *see* **Schutten, J.**
De Fré, B. *see* **Bossuyt, B.**
De Kroon, H. *see* **Jongejans, E.**
De Kroon, H. *see* **Lenssen, J.P.M.**
De Mazancourt, C., Loreau, M. & Dieckmann, U. Understanding mutualism when there is adaptation to the partner, 305
Del-Val, E. & Crawley, M.J. Are grazing increaser species better tolerators than decreasers? An experimental assessment of defoliation tolerance in eight British grassland species, 1005
Delporte, A. *see* **Cosyns, E.**
Dickie, I.A. & Reich, P.B. Ectomycorrhizal fungal communities at forest edges, 244
Dieckmann, U. *see* **De Mazancourt, C.**
Dietz, H. *see* **Buschmann, H.**
Dirnböck, T. *see* **Dullinger, S.**
Donath, T.W. *see* **Eckstein, R.L.**
Dorrepaal, E., Cornelissen, J.H.C., Aerts, R., Wallén, B. & Van Logtestijn, R.S.P. Are growth forms consistent predictors of leaf litter quality and decomposability across peatlands along a latitudinal gradient? 817
Dullinger, S., Dirnböck, T., Köck, R., Hochbichler, E., Englisch, T., Sauberer, N. & Grabherr, G. Interactions among tree-line conifers: differential effects of pine on spruce and larch, 948
Dushoff, J. *see* **Purves, D.W.**

Eckstein, R.L. & Donath, T.W. Interactions between litter and water availability affect seedling emergence in four familial pairs of floodplain species, 807
Edwards, K.R. *see* **Proffitt, C.E.**
Edwards, P.J. *see* **Buschmann, H.**
Eichenberger-Glinz, S. *see* **Turnbull, L.A.**
Elle, E. *see* **Stastny, M.**
Englisch, T. *see* **Dullinger, S.**

Facelli, J.M. *see* **Ladd, B.M.**
Fagan, L. *see* **Coomes, D.A.**
Fairfax, R.J. *see* **Fensham, R.J.**
Falster, D.S. & Westoby, M. Alternative height strategies among 45 dicot rain forest species from tropical Queensland, Australia, 521
Fang, W. *see* **Landis, R.M.**
Fensham, R.J., Fairfax, R.J. & Archer, S.R. Rainfall, land use and woody vegetation cover change in semi-arid Australian savanna, 596
Fitter, A.H. Darkness visible: reflections on underground ecology, 231
Ford, E.D. *see* **Reynolds, J.H.**
Forget, P.-M. *see* **Baraloto, C.**
Forsyth, D.M. *see* **Coomes, D.A.**
Fourqurean, J.W. *see* **Borum, J.**
Fourqurean, J.W. *see* **Romero, L.M.**
Fowler, D. *see* **Mitchell, R.J.**
Fox, G.A. *see* **Landis, R.M.**
Francisco-Ortega, J. *see* **Silvertown, J.**
Frankovich, T.A. *see* **Borum, J.**
Fremstad, E., Paal, J. & Möls, T. Impacts of increased nitrogen supply on Norwegian lichen-rich alpine communities: a 10-year experiment, 471
Fynn, R.W.S., Morris, C.D. & Kirkman, K.P. Plant strategies and trait trade-offs influence trends in competitive ability along gradients of soil fertility and disturbance, 384

García, D., Obeso, J.R. & Martínez, I. Spatial concordance between seed rain and seedling establishment in bird-dispersed trees: does scale matter? 693
Garrido, J.L., Rey, P.J. & Herrera, C.M. Pre- and post-germination determinants of spatial variation in recruitment in the perennial herb *Helleborus foetidus* L. (Ranunculaceae), 60
Gaxiola-Alcantar, A. *see* **Coomes, D.A.**
Gehring, C.A. *see* **Mueller, R.C.**
Gibson, D. *see* **Haddon, L.**
Gibson, D.J. *see* **Saunders, N.E.**
Gibson, D.J. & Taylor, I. *Festuca longifolia* Thuill. (*F. glauca* auct. non Vill., *F. glauca* var. *caesia* (Sm.) Howarth, *F. caesia* Sm.), 214
Goldberg, D.E. *see* **Baraloto, C.**
Gómez, J.M. *see* **Gómez-Aparicio, L.**
Gómez-Aparicio, L., Gómez, J.M. & Zamora, R. Microhabitats shift rank in suitability for seedling establishment depending on habitat type and climate, 1194
Gough, L. *see* **Hobbie, S.E.**
Gouyon, P.-H. *see* **Ronce, O.**
Grabherr, G. *see* **Dullinger, S.**
Grant, M.-B. *see* **Pennings, S.C.**
Greve, T.M. *see* **Borum, J.**
Guest, H.J. *see* **Antos, J.A.**
Gurevitch, J. *see* **Landis, R.M.**
Gustafson, D.J. *see* **Cahill, J.F. Jr**

Haddon, L., Gibson, D., Hutchings, M. & Press, M. *Journal of Ecology* news, 1
Handley, R.J. & Davy, A.J. Temperature effects on seed maturity and dormancy cycles in an aquatic annual, *Najas marina*, at the edge of its range, 1185
Harrington, T.C. *see* **Worrall, J.J.**
Hartley, S.E. & Mitchell, R.J. Manipulation of nutrients and grazing levels on heather moorland: changes in *Calluna* dominance and consequences for community composition, 990
Hazlett, B.A. *see* **Bach, C.E.**
Heil, G.W. *see* **Soons, M.B.**
Herben, T., Suda, J. & Munclinger, P. The ghost of hybridization past: niche pre-emption is not the only explanation of apparent monophyly in island endemics, 572
Herrera, C.M. *see* **Garrido, J.L.**
Hester, M.W. *see* **Travis, S.E.**

© 2005 British Ecological Society,

Hierro, J.L., Maron, J.L. & Callaway, R.M. A biogeographical approach to plant invasions: the importance of studying exotics in their introduced *and* native range, 5

Higgins, S.I. *see* **Schurr, F.M.**

Hill, N.M. & Vander Kloet, S.P. Longevity of experimentally buried seed in *Vaccinium*: relationship to climate, reproductive factors and natural seed banks, 1167

Hillebrand, H. Light regime and consumer control of autotrophic biomass, 758

Hobbie, S.E., Gough, L. & Shaver, G.R. Species compositional differences on different-aged glacial landscapes drive contrasting responses of tundra to nutrient addition, 770

Hochbichler, E. *see* **Dullinger, S.**

Hoffmann, M. *see* **Bossuyt, B.**

Hoffmann, M. *see* **Cosyns, E.**

Högberg, P. *see* **Jumpponen, A.**

Honek, A. & Martinkova, Z. Pre-dispersal predation of *Taraxacum officinale* (dandelion) seed, 335

Honek, A., Martinkova, Z. & Saska, P. Post-dispersal predation of *Taraxacum officinale* (dandelion) seed, 345

Huime, P.E. *see* **Lloret, F.**

Huss-Danell, K. *see* **Jumpponen, A.**

Hutchings, M. *see* **Haddon, L.**

Hutchings, M.J. *see* **Wijesinghe, D.K.**

Jäkäläniemi, A., Tuomi, J., Siikamäki, P. & Kilpiä, A. Colonization-extinction and patch dynamics of the perennial riparian plant, *Silene tatarica*, 670

James, J.J., Tiller, R.L. & Richards, J.H. Multiple resources limit plant growth and function in a saline-alkaline desert community, 113

Jansson, R., Zinko, U., Merritt, D.M. & Nilsson, C. Hydrochory increases riparian plant species richness: a comparison between a free-flowing and a regulated river, 1094

Jensen, C.E. *see* **Maloney, P.E.**

John, E.A. *see* **Wijesinghe, D.K.**

Jongejans, E. *see* **Soons, M.B.**

Jongejans, E. & De Kroon, H. Space versus time variation in the population dynamics of three co-occurring perennial herbs, 681

Joosten, H. *see* **Couwenberg, J.**

Jumpponen, A., Mulder, C.P.H., Huss-Danell, K. & Högberg, P. Winners and losers in herbaceous plant communities: insights from foliar carbon isotope composition in monocultures and mixtures, 1136

Kaltenrieder, P. *see* **Tinner, W.**

Kane, S.F. *see* **Maloney, P.E.**

Kelly, D. *see* **Bach, C.E.**

Kembel, S.W. *see* **Cahill, J.F. Jr**

Kilpiä, A. *see* **Jäkäläniemi, A.**

King, D.A. *see* **Russo, S.E.**

Kirkman, K.P. *see* **Fynn, R.W.S.**

Klanderud, K. Climate change effects on species interactions in an alpine plant community, 127

Klanderud, K. & Totland, Ø. The relative importance of neighbours and abiotic environmental conditions for population dynamic parameters of two alpine plant species, 493

Kluth, C. & Bruelheide, H. Central and peripheral *Hornungia petraea* populations: patterns and dynamics, 584

Knox, K.J.E. *see* **Clarke, P.J.**

Köck, R. *see* **Dullinger, S.**

Koelewijn, H.P. & Van Damme, J.M.M. Effects of seed size, inbreeding and maternal sex on offspring fitness in gynodioecious *Plantago coronopus*, 373

Kolb, A. Reduced reproductive success and offspring survival in fragmented populations of the forest herb *Phyteuma spicatum*, 1226

Kon, H., Noda, T., Terazawa, K., Koyama, H. & Yasaka, M. Evolutionary advantages of mast seeding in *Fagus crenata*, 1148

Kooyman, R.M. *see* **Rossetto, M.**

Koyama, H. *see* **Kon, H.**

Kuzee, M.E. *see* **Schnitzer, S.A.**

Laboski, T. *see* **Callaway, R.M.**

Ladd, B.M. & Facelli, J.M. Effects of competition, resource availability and invertebrates on tree seedling establishment, 968

Lambdon, P. *see* **Lloret, F.**

Landis, R.M., Gurevitch, J., Fox, G.A., Fang, W. & Taub, D.R. Variation in recruitment and early demography in *Pinus rigida* following crown fire in the pine barrens of Long Island, New York, 607

Lavine, M. *see* **Beckage, B.**

Lee, T.D. *see* **Worrall, J.J.**

Leffler, A.J. & Caldwell, M.M. Shifts in depth of water extraction and photosynthetic capacity inferred from stable isotope proxies across an ecotone of *Juniperus osteosperma* (Utah juniper) and *Artemisia tridentata* (big sagebrush), 783

Leishman, M.R. & Thomson, V.P. Experimental evidence for the effects of additional water, nutrients and physical disturbance on invasive plants in low fertility Hawkesbury Sandstone soils, Sydney, Australia, 38

Leith, I.D. *see* **Mitchell, R.J.**

Lens, L. *see* **Cosyns, E.**

Lenssen, J.P.M. & De Kroon, H. Abiotic constraints at the upper boundaries of two *Rumex* species on a freshwater flooding gradient, 138

Litrico, I., Pailler, T. & Thompson, J.D. Gender variation and primary succession in a tropical woody plant, *Antirhea borbonica* (Rubiaceae), 705

Lloret, F., Médail, F., Brundu, G., Camarda, I., Moragues, E., Rita, J., Lambdon, P. & Hulme, P.E. Species attributes and invasion success by alien plants on Mediterranean islands, 512

Loreau, M. *see* **De Mazancourt, C.**

Luizao, R.C. *see* **Costa, F.R.C.**

Lynch, S.C. *see* **Maloney, P.E.**

© 2005 British Ecological Society,

Madden, C.J. *see* **Borum, J.**
Maestre, F.T., Valladares, F. & Reynolds, J.F. Is the change of plant–plant interactions with abiotic stress predictable? A meta-analysis of field results in arid environments, 748
Magnusson, W.E. *see* **Costa, F.R.C.**
Maloney, P.E., Lynch, S.C., Kane, S.F., Jensen, C.E. & Rizzo, D.M. Establishment of an emerging generalist pathogen in redwood forest communities, 899
Maron, J.L. *see* **Hierro, J.L.**
Martínez, I. *see* **García, D.**
Martinkova, Z. *see* **Honek, A.**
Matlack, G.R. Slow plants in a fast forest: local dispersal as a predictor of species frequencies in a dynamic landscape, 50
McCarthy, M.A. *see* **Williams, N.S.G.**
McDonnell, M.J. *see* **Williams, N.S.G.**
Mchaffie, H.S. *Athyrium distentifolium* Tausch ex Opiz (*A. alpestre* (Hoppe) Rylands ex T. Moore-non-Clairv.) including *A. distentifolium* var. *flexile* (Newman) Jermy, 839
Médail, F. *see* **Lloret, F.**
Meiners, S.J. *see* **Yurkonis, K.A.**
Merritt, D.M. *see* **Jansson, R.**
Messelink, J.H. *see* **Soons, M.B.**
Metcalfe, D.J. *Hedera helix* L., 632
Midgley, G.F. *see* **Schurr, F.M.**
Mitchell, F.J.G. How open were European primeval forests? Hypothesis testing using palaeoecological data, 168
Mitchell, R.J. *see* **Hartley, S.E.**
Mitchell, R.J., Truscot, A.M., Leith, I.D., Cape, J.N., Van Dijk, N., Tang, Y.S., Fowler, D. & Sutton, M.A. A study of the epiphytic communities of Atlantic oak woods along an atmospheric nitrogen deposition gradient, 482
Möls, T. *see* **Fremstad, E.**
Moragues, E. *see* **Lloret, F.**
Morgan, J.W. *see* **Williams, N.S.G.**
Morris, C.D. *see* **Fynn, R.W.S.**
Mueller, R.C., Scudder, C.M., Porter, M.E., Trotter, R.T., III, Gehring, C.A. & Whitham, T.G. Differential tree mortality in response to severe drought: evidence for long-term vegetation shifts, 1085
Mulder, C.P.H. *see* **Jumpponen, A.**
Munclinger, P. *see* **Herben, T.**

Nathan, R. *see* **Bohrer, G.**
Nicolè, F., Brzosko, E. & Till-Bottraud, I. Population viability analysis of *Cypripedium calceolus* in a protected area: longevity, stability and persistence, 716
Nilsson, C. *see* **Jansson, R.**
Noda, T. *see* **Kon, H.**
Obeso, J.R. *see* **García, D.**
Olivieri, I. *see* **Ronce, O.**
Owens, A.B. *see* **Proffitt, C.E.**

Paal, J. *see* **Fremstad, E.**
Pailler, T. *see* **Litrico, I.**
Parfitt, R.L. *see* **Coomes, D.A.**
Parish, R. *see* **Antos, J.A.**
Paschke, M.W. *see* **Perry, L.G.**
Pedersen, O. *see* **Borum, J.**
Peet, R.K. *see* **Taverna, K.**
Peña-Claros, M. *see* **Poorter, L.**
Pennings, S.C., Grant, M.-B. & Bertness, M.D. Plant zonation in low-latitude salt marshes: disentangling the roles of flooding, salinity and competition, 159
Perry, L.G., Thelen, G.C., Ridenour, W.M., Weir, T.L., Callaway, R.M., Paschke, M.W. & Vivanco, J.M. Dual role for an allelochemical: (±)-catechin from *Centaurea maculosa* root exudates regulates conspecific seedling establishment, 1126
Phillips, L.C. *see* **Taverna, K.**
Phoenix, G.K. & Press, M.C. Linking physiological traits to impacts on community structure and function: the role of root hemiparasitic Orobanchaceae (ex-Scrophulariaceae), 67
Poorter, L., Bongers, F., Sterck, F.J. & Wöll, H. Beyond the regeneration phase: differentiation of height–light trajectories among tropical tree species, 256
Poorter, L., Zuidema, P.A., Peña-Claros, M. & Boot, R.G.A. A monocarpic tree species in a polycarpic world: how can *Tachigali vasquezii* maintain itself so successfully in a tropical rain forest community? 268
Porter, M.E. *see* **Mueller, R.C.**
Press, M. *see* **Haddon, L.**
Press, M.C. *see* **Phoenix, G.K.**
Press, M.C. *see* **Quested, H.M.**
Proffitt, C.E., Chiasson, R.L., Owens, A.B., Edwards, K.R. & Travis, S.E. *Spartina alterniflora* genotype influences facilitation and suppression of high marsh species colonizing an early successional salt marsh, 404
Pugnaire, F.I. *see* **Armas, C.**
Purves, D.W. & Dushoff, J. Directed seed dispersal and metapopulation response to habitat loss and disturbance: application to *Eichhornia paniculata*, 658

Quested, H.M., Callaghan, T.V., Cornelissen, J.H.C. & Press, M.C. The impact of hemiparasitic plant litter on decomposition: direct, seasonal and litter mixing effects, 87

Rahm, S. *see* **Turnbull, L.A.**
Ramseier, D., Connolly, J. & Bazzaz, F.A. Carbon dioxide regime, species identity and influence of species initial abundance as determinants of change in stand biomass composition in five-species communities: an investigation using a simplex design and RGRD analysis, 502
Reich, P.B. *see* **Dickie, I.A.**
Reinhart, K.O., Royo, A.A., Van Der Putten, W.H. & Clay, K. Soil feedback and pathogen activity in *Prunus serotina* throughout its native range, 890
Rey, P.J. *see* **Garrido, J.L.**
Reynolds, J.F. *see* **Maestre, F.T.**

© 2005 British Ecological Society,

Reynolds, J.H. & Ford, E.D. Improving competition representation in theoretical models of self-thinning: a critical review, 362
Richards, J.H. *see* **James, J.J.**
Ridenour, W.M. *see* **Callaway, R.M.**
Ridenour, W.M. *see* **Perry, L.G.**
Rita, J. *see* **Lloret, F.**
Rizzo, D.M. *see* **Maloney, P.E.**
Romero, L.M., Smith, T.J., III & Fourqurean, J.W. Changes in mass and nutrient content of wood during decomposition in a south Florida mangrove forest, 618
Ronce, O., Brachet, S., Olivieri, I., Gouyon, P.-H. & Clobert, J. Plastic changes in seed dispersal along ecological succession: theoretical predictions from an evolutionary model, 431
Rossetto, M. & Kooyman, R.M. The tension between dispersal and persistence regulates the current distribution of rare palaeo-endemic rain forest flora: a case study, 906
Rotundo, J.L. & Aguiar, M.R. Litter effects on plant regeneration in arid lands: a complex balance between seed retention, seed longevity and soil–seed contact, 829
Royo, A.A. *see* **Reinhart, K.O.**
Ruscoe, W.A. *see* **Coomes, D.A.**
Russo, S.E., Davies, S.J., King, D.A. & Tan, S. Soil-related performance variation and distributions of tree species in a Bornean rain forest, 879

Saska, P. *see* **Honek, A.**
Sauberer, N. *see* **Dullinger, S.**
Saunders, N.E. & Gibson, D.J. Breeding system, branching processes, hybrid swarm theory, and the humped-back diversity relationship as additional explanations for apparent monophyly in the Macaronesian island flora, 649
Schaffner, U. *see* **Stastny, M.**
Schmid, B. *see* **Turnbull, L.A.**
Schnitzer, S.A., Kuzee, M.E. & Bongers, F. Disentangling above- and below-ground competition between lianas and trees in a tropical forest, 1115
Schurr, F.M., Bond, W.J., Midgley, G.F. & Higgins, S.I. A mechanistic model for secondary seed dispersal by wind and its experimental validation, 1017
Schutten, J., Dainty, J. & Davy, A.J. Root anchorage and its significance for submerged plants in shallow lakes, 556
Scudder, C.M. *see* **Mueller, R.C.**
Shaver, G.R. *see* **Hobbie, S.E.**
Sheil, D. *see* **Van Nieuwstadt, M.G.L.**
Siikamäki, P. *see* **Jäkäläniemi, A.**
Silvertown, J., Francisco-Ortega, J. & Carine, M. The monophyly of island radiations: an evaluation of niche pre-emption and some alternative explanations, 653
Sletvold, N. Density-dependent growth and survival in a natural population of the facultative biennial *Digitalis purpurea*, 727
Smith, T.J., III *see* **Romero, L.M.**
Soons, M.B., Messelink, J.H., Jongejans, E. & Heil, G.W. Habitat fragmentation reduces grassland connectivity for both short-distance and long-distance wind-dispersed forbs, 1214
Stastny, M., Schaffner, U. & Elle, E. Do vigour of introduced populations and escape from specialist herbivores contribute to invasiveness? 27
Stephenson, N.L. *see* **Van Mantgem, P.J.**
Sterck, F.J. *see* **Poorter, L.**
Stoll, P. & Bergius, E. Pattern and process: competition causes regular spacing of individuals within plant populations, 395
Suda, J. *see* **Herben, T.**
Sutton, M.A. *see* **Mitchell, R.J.**
Svenning, J.-C. & Wright, S.J. Seed limitation in a Panamanian forest, 853

Tan, S. *see* **Russo, S.E.**
Tang, Y.S. *see* **Mitchell, R.J.**
Taub, D.R. *see* **Landis, R.M.**
Taverna, K., Peet, R.K. & Phillips, L.C. Long-term change in ground-layer vegetation of deciduous forests of the North Carolina Piedmont, USA, 202
Taylor, I. *see* **Gibson, D.J.**
Taylor, K. Biological Flora of the British Isles: *Rubus vestitus* Weihe, 1249
Terazawa, K. *see* **Kon, H.**
Thelen, G.C. *see* **Perry, L.G.**
Thompson, J. *see* **Uriarte, M.**
Thompson, J.D. *see* **Litrico, I.**
Thomson, V.P. *see* **Leishman, M.R.**
Till-Bottraud, I. *see* **Nicolè, F.**
Tiller, R.L. *see* **James, J.J.**
Tinner, W. & Kaltenrieder, P. Rapid responses of high-mountain vegetation to early Holocene environmental changes in the Swiss Alps, 936
Totland, Ø. *see* **Klanderud, K.**
Traut, B.H. The role of coastal ecotones: a case study of the salt marsh/upland transition zone in California, 279
Travis, S.E. *see* **Proffitt, C.E.**
Travis, S.E. & Hester, M.W. A space-for-time substitution reveals the long-term decline in genotypic diversity of a widespread salt marsh plant, *Spartina alterniflora*, over a span of 1500 years, 417
Trotter, R.T.T., III *see* **Mueller, R.C.**
Truscot, A.M. *see* **Mitchell, R.J.**
Tuomi, J. *see* **Jäkäläniemi, A.**
Turnbull, L.A., Rahm, S., Baudois, O., Eichenberger-Glinz, S., Wacker, L. & Schmid, B. Experimental invasion by legumes reveals non-random assembly rules in grassland communities, 1062

Uriarte, M., Canham, C.D., Thompson, J., Zimmerman, J.K. & Brokaw, N. Seedling recruitment in a hurricane-driven tropical forest: light limitation, density-dependence and the spatial distribution of parent trees, 291

© 2005 British Ecological Society,

Valladares, F. *see* **Maestre, F.T.**
Van Damme, J.M.M. *see* **Koelewijn, H.P.**
Van Der Putten, W.H. *see* **Reinhart, K.O.**
Van Dijk, N. *see* **Mitchell, R.J.**
Van Logtestijn, R.S.P. *see* **Dorrepaal, E.**
Van Mantgem, P.J. & Stephenson, N.L. The accuracy of matrix population model projections for coniferous trees in the Sierra Nevada, California, 737
Van Nieuwstadt, M.G.L. & Sheil, D. Drought, fire and tree survival in a Borneo rain forest, East Kalimantan, Indonesia, 191
Vander Kloet, S.P. *see* **Hill, N.M.**
Vivanco, J.M. *see* **Perry, L.G.**
Vivanco, J.M. *see* **Callaway, R.M.**
Volis, S. *see* **Bohrer, G.**
Von Holle, B. Biotic resistance to invader establishment of a southern Appalachian plant community is determined by environmental conditions, 16

Wachholder, B.E. *see* **Yurkonis, K.A.**
Wacker, L. *see* **Turnbull, L.A.**
Wallén, B. *see* **Dorrepaal, E.**
Wardle, D.A. *see* **Coomes, D.A.**
Weir, T. *see* **Callaway, R.M.**
Weir, T.L. *see* **Perry, L.G.**
Westoby, M. *see* **Falster, D.S.**
Whitham, T.G. *see* **Mueller, R.C.**
Wijesinghe, D.K., John, E.A. & Hutchings, M.J. Does pattern of soil resource heterogeneity determine plant community structure? An experimental investigation, 99
Williams, N.S.G., Morgan, J.W., McDonnell, M.J. & McCarthy, M.A. Plant traits and local extinctions in natural grasslands along an urban–rural gradient, 1203
Wills, K.E. *see* **Clarke, P.J.**
Wilson, D.J. *see* **Coomes, D.A.**
Wöll, H. *see* **Poorter, L.**
Worrall, J.J., Lee, T.D. & Harrington, T.C. Forest dynamics and agents that initiate and expand canopy gaps in *Picea–Abies* forests of Crawford Notch, New Hampshire, USA, 178
Wright, E.F. *see* **Coomes, D.A.**
Wright, S.J. *see* **Svenning, J.-C.**

Yasaka, M. *see* **Kon, H.**
Yurkonis, K.A., Meiners, S.J. & Wachholder, B.E. Invasion impacts diversity through altered community dynamics, 1053

Zamora, R. *see* **Gómez-Aparicio, L.**
Zieman, J.C. *see* **Borum, J.**
Zimmerman, J.K. *see* **Uriarte, M.**
Zinko, U. *see* **Jansson, R.**
Zuidema, P.A. *see* **Poorter, L.**

© 2005 British
Ecological Society,